

Author Index

- ABRAHAM, E. *see* CHANG, Y.H.
 ADAMS, E., GARSIA, R.J., HELLQVIST, L., HOLT, P. & BASTEN, A. T cell reactivity to the purified mycobacterial antigens p65 and p70 in leprosy patients and their household contacts, 206
 ADAMS, L.B. *see* SIBLEY, L.D.
 ANDOH, A. *see* KINUGAWA, K.
 ANDRIEU, J.M. *see* VENET, A.
 APPELBERG, R. & SARMENTO, A.M. The role of macrophage activation and BCG-encoded macrophage function(s) in the control of *Mycobacterium avium* infection in mice, 324
 ARMSTRONG, J.McD. *see* UIBO, R.
 ASENSI, V., HIMENO, K., KAWAMURA, I., SAKUMOTO, M. & NOMOTO, K. *In vivo* treatment with anti-B220 monoclonal antibody affects T and B cell differentiation, 268
 ATHANASAS-PLATIS, S. *see* QUINN, K.A.
 ATOH, M. *see* KOBAYASHI, K.
 AUCOUTURIER, P. *see* PINEAU, N.

 BACH, J.-F. *see* TZARTOS, S.J.
 BACH, M.-A. *see* ROCH, F.
 BAIN, R.P. *see* SMITH, T.F.
 BARKLEY, D.E.H., FELDMANN, M. & MAINI, R.N. Cells with dendritic morphology and bright interleukin-1 α staining circulate in the blood of patients with rheumatoid arthritis, 25
 BASTEN, A. *see* ADAMS, E.
 BATES, E.J. *see* KUMARATILAKE, L.M.
 BAUGHN, R.E. *see* VERSALOVIC, J.
 BAUMANN, N. *see* JAUBERTAU, M.O.
 BEIJER, R. *see* VERHEIJEN, R.
 BELDJORD, K. *see* VENET, A.
 BERDEN, J. *see* BRINKMAN, K.
 BERNIER, D. *see* HEBERT, J.
 BIANCHI, F.B. *see* VOLTA, U.
 BISMUTH, J. *see* ROUGER, P.
 BLACKMAN, N. *see* WHITTLE, H.C.
 BLAZAR, B.A. & MURPHY, A.M. Induction of B cell responsiveness to growth factors by Epstein-Barr virus conversion: comparison of endogenous factors and interleukin-1, 62
 BLOEMEN, E., WEINREICH, S. & SCHELLEKENS, P.T.A. The influence of recirculation of peripheral blood lymphocytes *in vivo*, 460
 BOSWELL, R.N. *see* FUCHS, D.
 BOYD, B.L. *see* TRATKIEWICZ, J.A.
 BRAND, R. *see* HEURKENS, A.H.M.
 BREEDVELD, F.C. *see* HEURKENS, A.H.M.
 BRINKMAN, K., VAN DAM, A., VAN DEN BRINK, H., TERMAAT, R.M., BERDEN, J. & SMEENK, R. Murine monoclonal antibodies to DNA. A comparison of MRL/lpr NZB/W and chronically graft-versus-host diseased mice, 274
 BROOKS, P.M. *see* DANIS, V.A.
 BROUET, J.C. *see* HAUTTECOEUR, B.
 BROWN, C.M.S., PLATER-ZYBERK, C., MAGEED, R.A., JEFFERIS, R. & MAINI, R.N. Analysis of immunoglobulins secreted by hybridomas derived from rheumatoid synovia, 366
 BROWN, J. *see* WHITTLE, H.C.
 BRUGIER, J.C. *see* PINEAU, N.

 CANDUSSI, G. *see* TEDESCO, F.
 CAPRON-LANDEREAU, M. *see* ROUGER, P.
 CARINHAS, R. *see* VERSALOVIC, J.
 CARLSTEN, H., TARKOWSKI, A., HOLMDAHL, R. & NILSSON, L.-A. Oestrogen is a potent accelerator in SLE-prone MRL lpr/lpr mice, 467
 CAVANAGH, A.C. *see* QUINN, K.A.
 CAWLEY, M.I.D. *see* STEVENSON, F.K.
 CHANG, Y.H., JAGELS, M. & ABRAHAM, E. Haemorrhage produces depressions in alloantigen-specific immune responses in the mouse through activation of suppressor T cells, 478
 CHIRMULE, N., KALYANARAMAN, V.S., SLADE, H., OYAIZU, N. & PAHWA, S. Requirement of the T cell receptor for antigen presentation by T lymphocytes, 161
 CHRISTIE, J.F. *see* KENNEDY, M.W.
 CLAESSON, K. *see* FELLSTROM, B.
 CLELAND, L.J. *see* FERRANTE, A.
 CLERICI, M. *see* FUCHS, D.
 COLOMBEL, J.F. *see* MARTEAU, P.
 CONIFER, S. *see* LOIZU, A.
 CULLEN, R.T. *see* KUSAKA, Y.

 DAHA, M.R. *see* HEURKENS, A.H.M.
 DANESE, C. *see* GRAZIA CIFONE, M.
 DANIS, V.A., KULESZ, A.J., NELSON, D.S. & BROOKS, P.M. Cytokine regulation of human monocyte interleukin-1 (IL-1) production *in vitro*. Enhancement of IL-1 production by interferon (IFN) gamma, tumour necrosis factor-alpha, IL-2 and IL-1, and inhibition by IFN-alpha, 435
 DANON, F. *see* HAUTTECOEUR, B.
 DAVIES, K.A., MATHIESON, P., WINERALS, C.G., REES, A.J. & WALPOT, M.J. Serum sickness and acute renal failure after streptokinase therapy for myocardial infarction, 83
 DEEM, R.L., TARGAN, S.R., NIEDERLEHNER, A. & SHANAHAN, F. The CD8⁺ Leu 7⁺ subset in T cells in Crohn's disease: distinction between cytotoxic and covert suppressor functions, 387
 DI GIOVINE, F.S. *see* SYMONS, J.A.
 DIJKSTRA, C. *see* NOBLE, B.
 DIMENY, E. *see* FELLSTROM, B.
 DIPIRRO, J. *see* NOBLE, B.
 DIVE, C. *see* MARTEAU, P.
 DONALDSON, K. *see* KUSAKA, Y.
 DOUGLASS, W.A. *see* STEVENSON, F.K.
 DREXHAGE, H.A. *see* TAS, M.
 DRYSDALE, P. *see* KUMARARATNE, D.S.
 DUBOIS, C. *see* HAUTTECOEUR, B.
 DUFF, G.W. *see* SYMONS, J.A.

 EFTHIMIADIS, A. *see* TZARTOS, S.J.
 EHER, R. *see* GADD, S.J.
 ELLIS, C.J. *see* KUMARARATNE, D.S.
 EME, D. *see* VENET, A.
 EVEN, P. *see* VENET, A.
 EVENGARD, B., HAMMARSTROM, L., SMITH, C.I.E. & LINDER, E. Early antibody responses in human schistosomiasis, 69
 EYMARD, B. *see* TZARTOS, S.J.

 FAMULARO, G. *see* GRAZIA CIFONE, M.
 FELDMANN, M. *see* BARKLEY, D.E.H.
 FELLSTROM, B., DIMENY, E., LARSSON, E., CLAESSON, K. & TUFVESON, G. Rapidly proliferative arteriopathy in cyclosporin-induced permanently surviving rat cardiac allografts simulating chronic vascular rejection, 288
 FERRANTE, A. *see* KUMARATILAKE, L.M.
 FERRANTE, A., STOKER, R.J. & CLELAND, L.J. Polyamine oxidase activity in rheumatoid arthritis synovial fluid, 373
 FERRANTE, A., SEOW, W.K., ROWAN-KELLY, B. & THONG, Y.H. Tetrandrine, a plant alkaloid, inhibits the production of tumour necrosis factor-alpha (cachectin) by human monocytes, 232
 FILLAK, D. *see* SROUR, E.R.
 FOLEY, N., LAMBERT, C., MCNICOL, M., JOHNSON, N. & ROOK, G.A.W. An inhibitor of the toxicity of tumour necrosis factor in the serum of patients with sarcoidosis, tuberculosis and Crohn's disease, 395

Author Index

- ABRAHAM, E. *see* CHANG, Y.H.
 ADAMS, E., GARSIA, R.J., HELLQVIST, L., HOLT, P. & BASTEN, A. T cell reactivity to the purified mycobacterial antigens p65 and p70 in leprosy patients and their household contacts, 206
 ADAMS, L.B. *see* SIBLEY, L.D.
 ANDOH, A. *see* KINUGAWA, K.
 ANDRIEU, J.M. *see* VENET, A.
 APPELBERG, R. & SARMENTO, A.M. The role of macrophage activation and BCG-encoded macrophage function(s) in the control of *Mycobacterium avium* infection in mice, 324
 ARMSTRONG, J.McD. *see* UIBO, R.
 ASENSI, V., HIMENO, K., KAWAMURA, I., SAKUMOTO, M. & NOMOTO, K. *In vivo* treatment with anti-B220 monoclonal antibody affects T and B cell differentiation, 268
 ATHANASAS-PLATIS, S. *see* QUINN, K.A.
 ATOH, M. *see* KOBAYASHI, K.
 AUCOUTURIER, P. *see* PINEAU, N.
 BACH, J.-F. *see* TZARTOS, S.J.
 BACH, M.-A. *see* ROCH, F.
 BAIN, R.P. *see* SMITH, T.F.
 BARKLEY, D.E.H., FELDMANN, M. & MAINI, R.N. Cells with dendritic morphology and bright interleukin-1 α staining circulate in the blood of patients with rheumatoid arthritis, 25
 BASTEN, A. *see* ADAMS, E.
 BATES, E.J. *see* KUMARATILAKE, L.M.
 BAUGHN, R.E. *see* VERSALOVIC, J.
 BAUMANN, N. *see* JAUBERTAU, M.O.
 BEIJER, R. *see* VERHEIJEN, R.
 BELDJORD, K. *see* VENET, A.
 BERDEN, J. *see* BRINKMAN, K.
 BERNIER, D. *see* HEBERT, J.
 BIANCHI, F.B. *see* VOLTA, U.
 BISMUTH, J. *see* ROUGER, P.
 BLACKMAN, N. *see* WHITTLE, H.C.
 BLAZAR, B.A. & MURPHY, A.M. Induction of B cell responsiveness to growth factors by Epstein-Barr virus conversion: comparison of endogenous factors and interleukin-1, 62
 BLOEMEN, E., WEINREICH, S. & SCHELLEKENS, P.T.A. The influence of recirculation of peripheral blood lymphocytes *in vivo*, 460
 BOSWELL, R.N. *see* FUCHS, D.
 BOYD, B.L. *see* TRATKIEWICZ, J.A.
 BRAND, R. *see* HEURKENS, A.H.M.
 BREEDVELD, F.C. *see* HEURKENS, A.H.M.
 BRINKMAN, K., VAN DAM, A., VAN DEN BRINK, H., TERMAAT, R.M., BERDEN, J. & SMEENK, R. Murine monoclonal antibodies to DNA. A comparison of MRL/lpr NZB/W and chronically graft-versus-host diseased mice, 274
 BROOKS, P.M. *see* DANIS, V.A.
 BROUET, J.C. *see* HAUTTECOEUR, B.
 BROWN, C.M.S., PLATER-ZYBERK, C., MAGEED, R.A., JEFFERIS, R. & MAINI, R.N. Analysis of immunoglobulins secreted by hybridomas derived from rheumatoid synovia, 366
 BROWN, J. *see* WHITTLE, H.C.
 BRUGIER, J.C. *see* PINEAU, N.
 CANDUSSI, G. *see* TEDESCO, F.
 CAPRON-LANDEREAU, M. *see* ROUGER, P.
 CARINHAS, R. *see* VERSALOVIC, J.
 CARLSTEN, H., TARKOWSKI, A., HOLMDAHL, R. & NILSSON, L.-A. Oestrogen is a potent accelerator in SLE-prone MRL lpr/lpr mice, 467
 CAVANAGH, A.C. *see* QUINN, K.A.
 CAWLEY, M.I.D. *see* STEVENSON, F.K.
 CHANG, Y.H., JAGELS, M. & ABRAHAM, E. Haemorrhage produces depressions in alloantigen-specific immune responses in the mouse through activation of suppressor T cells, 478
 CHIRMULE, N., KALYANARAMAN, V.S., SLADE, H., OYAIZU, N. & PAHWA, S. Requirement of the T cell receptor for antigen presentation by T lymphocytes, 161
 CHRISTIE, J.F. *see* KENNEDY, M.W.
 CLAESSON, K. *see* FELLSTROM, B.
 CLELAND, L.J. *see* FERRANTE, A.
 CLERICI, M. *see* FUCHS, D.
 COLOMBEL, J.F. *see* MARTEAU, P.
 CONIFER, S. *see* LOIZU, A.
 CULLEN, R.T. *see* KUSAKA, Y.
 DAHA, M.R. *see* HEURKENS, A.H.M.
 DANESE, C. *see* GRAZIA CIFONE, M.
 DANIS, V.A., KULESZ, A.J., NELSON, D.S. & BROOKS, P.M. Cytokine regulation of human monocyte interleukin-1 (IL-1) production *in vitro*. Enhancement of IL-1 production by interferon (IFN) gamma, tumour necrosis factor-alpha, IL-2 and IL-1, and inhibition by IFN-alpha, 435
 DANON, F. *see* HAUTTECOEUR, B.
 DAVIES, K.A., MATHIESON, P., WINERALS, C.G., REES, A.J. & WALPOT, M.J. Serum sickness and acute renal failure after streptokinase therapy for myocardial infarction, 83
 DEEM, R.L., TARGAN, S.R., NIEDERLEHNER, A. & SHANAHAN, F. The CD8⁺ Leu 7⁺ subset in T cells in Crohn's disease: distinction between cytotoxic and covert suppressor functions, 387
 DI GIOVINE, F.S. *see* SYMONS, J.A.
 DIJKSTRA, C. *see* NOBLE, B.
 DIMENY, E. *see* FELLSTROM, B.
 DIPIRRO, J. *see* NOBLE, B.
 DIVE, C. *see* MARTEAU, P.
 DONALDSON, K. *see* KUSAKA, Y.
 DOUGLASS, W.A. *see* STEVENSON, F.K.
 DREXHAGE, H.A. *see* TAS, M.
 DRYSDALE, P. *see* KUMARARATNE, D.S.
 DUBOIS, C. *see* HAUTTECOEUR, B.
 DUFF, G.W. *see* SYMONS, J.A.
 EFTHIMIADIS, A. *see* TZARTOS, S.J.
 EHER, R. *see* GADD, S.J.
 ELLIS, C.J. *see* KUMARARATNE, D.S.
 EME, D. *see* VENET, A.
 EVEN, P. *see* VENET, A.
 EVENGARD, B., HAMMARSTROM, L., SMITH, C.I.E. & LINDER, E. Early antibody responses in human schistosomiasis, 69
 EYMARD, B. *see* TZARTOS, S.J.
 FAMULARO, G. *see* GRAZIA CIFONE, M.
 FELDMANN, M. *see* BARKLEY, D.E.H.
 FELLSTROM, B., DIMENY, E., LARSSON, E., CLAESSON, K. & TUFVESON, G. Rapidly proliferative arteriopathy in cyclosporin-induced permanently surviving rat cardiac allografts simulating chronic vascular rejection, 288
 FERRANTE, A. *see* KUMARATILAKE, L.M.
 FERRANTE, A., STOKER, R.J. & CLELAND, L.J. Polyamine oxidase activity in rheumatoid arthritis synovial fluid, 373
 FERRANTE, A., SEOW, W.K., ROWAN-KELLY, B. & THONG, Y.H. Tetrandrine, a plant alkaloid, inhibits the production of tumour necrosis factor-alpha (cachectin) by human monocytes, 232
 FILLAK, D. *see* SROUR, E.R.
 FOLEY, N., LAMBERT, C., MCNICOL, M., JOHNSON, N. & ROOK, G.A.W. An inhibitor of the toxicity of tumour necrosis factor in the serum of patients with sarcoidosis, tuberculosis and Crohn's disease, 395

- FRASER, E.M. *see* KENNEDY, M.W.
- FRATANGELO, D. *see* VOLTA, U.
- FRIDELL, E. *see* MATHIESEN, T.
- FUCHS, D., SHEARER, G.M., BOSWELL, R.N., CLERICI, M., REIBNEGGER, G., WERNER, E.R., ZAJAC, R.A. & WACHTER, H. Increased serum neoprotein in patients with HIV-1 infection is correlated with reduced *in vitro* interleukin-2 production, 44
- FUJITA, T. *see* ISHII, Y.
- GADD, S.J., MAJIDIC, O., KASINRERK, W., STOCKINGER, H., MAURER, D., EHER, R. & KNAPP, W. M5, a phosphoinositide-linked human myelomonocytic activation-associated antigen, 252
- GANE, P. *see* ROUGER, P.
- GARSIA, R.J. *see* ADAMS, E.
- GASTON, G.S.H. *see* KUMARARATNE, D.S.
- GAVIOLI, R., SPISANI, S., GIULIANI, A.L. & TRANIELLO, S. Dual mechanism in induction of human neutrophil cytotoxicity: activation of protein kinase C and elevation in intracellular calcium, 247
- GIACOMELLI, R. *see* GRAZIA CIFONE, M.
- GIL, R. *see* JAUBERTAEU, M.O.
- GIULIANI, A.L. *see* GAVIOLI, R.
- GRAZIA CIFONE, M., GIACOMELLI, R., FAMULARO, G., PAOLINI, R. & DANESE, C. Natural killer activity and antibody-dependent cellular toxicity in progressive systemic sclerosis, 360
- GUALDE, N. *see* JAUBERTAEU, M.O.
- GUGENHEIM, J. *see* ROUGER, P.
- HABETS, W.J. *see* VERHEIJEN, R.
- HAMMARSTROM, L. *see* EVENGARD, B.
- HAMMARSTROM, L. *see* MATHIESEN, T.
- HARADA, R. *see* OKADA, N.
- HASEGAWA, S. *see* ISHII, Y.
- HAUTTECOEUR, B., SCHMITT, C., DUBOIS, C., DANON, F., BROUET, J.C., NAPOLITANO, T., PROCOPIO, A., PEREGO, A.M., SANTONI, A. & TONIETTI, G. Reactivity of human monoclonal IgM with nerve glycosphingolipids, 181
- HAYAHARA, N. *see* IKEMOTO, S.
- HEBERT, J., BERNIER, D. & MOURAD, W. Detection of auto-antidiotype antibodies to *Lol p I* (rye I) IgE antibodies in human sera by use of the murine idiotypes: levels in atopic and non-atopic subjects and effects of immunotherapy, 413
- HELLQVIST, L. *see* ADAMS, E.
- HEURKENS, A.H.M., BREEDVELD, F.C., KEUR, C.V.D., BRAND, R. & DAHA, M.R. Degradation of aggregates of activated C3 (C3b) by monocytes of patients with rheumatoid arthritis is related to vasculitis, 177
- HIMENO, K. *see* ASENSI, V.
- HIRAI, K. *see* KONTANI, T.
- HITSUMOTO, Y. *see* TAGUCHI, H.
- HOLMDAHL, R. *see* CARLSTEN, H.
- HOLT, P. *see* ADAMS, E.
- HOSAYA, T. *see* NAITO, N.
- HOZUMI, N. *see* NOGUCHI, M.
- HUGHES, P. *see* WILD, G.
- HUME, A. *see* WILD, G.
- HUMPHRIES, P. *see* UIBO, R.
- HYODOH, F. *see* KINUGAWA, K.
- IKEMOTO, S., KISHIMOTO, T., WADA, S., HAYAHARA, N. & MAEKAWA, M. Thymus lymphocytes in uraemic rats and the effects of thymosin fraction 5 *in vitro*, 474
- ILES, P.B. *see* KUMARARATNE, D.S.
- INNES, J. *see* KUMARARATNE, D.S.
- INOKO, H. *see* KOBAYASHI, K.
- INSEL, R.A. *see* LITWIN, S.D.
- ISHII, Y., UCHIYAMA, Y., HASEGAWA, S., KINOSHITA, T., MITSUI, K., KOJIMA, H. & FUJITA, T. Detection of tumour necrosis factor/cachectin in pleural effusion of patients with lung cancer, 350
- JAFFE, C.L., SHOR, R., TRAU, H. & PASSWELL, J.H. Parasite antigens recognized by patients with cutaneous leishmaniasis, 77
- JAGELS, M. *see* CHANG, Y.H.
- JANOSY, G. *see* NOBLE, B.
- JANSEN, J. *see* SROUR, E.R.
- JAUBERTAEU, M.O., GUALDE, N., PREUD'HOMME, J.L., RIGAUD, M., GIL, R., VALLAT, J.M. & BAUMANN, N. Human monoclonal IgM with autoantibody activity against two gangliosides (GM1 and GD1b) in a patient with motor neurone disease, 186
- JEFFERIS, R. *see* BROWN, C.M.S.
- JENSKI, L. *see* SROUR, E.R.
- JOBE, O. *see* WHITTLE, H.C.
- JODOUIN, C.A. *see* RICHTER, M.
- JODOUIN, C.A. *see* TAYLOR, C.A.
- JOHNSON, N. *see* FOLEY, N.
- JONES, M.M., SEILHEIMER, D.K., PIER, G.B. & ROSSEN, R.D. Increased elastase secretion by peripheral blood monocytes in cystic fibrosis patients, 344
- KALINOWSKI, W. *see* ZIELINSKI, C.C.
- KALYANARAMAN, V.S. *see* CHIRMULE, N.
- KANAZAWA, K. *see* TAGUCHI, H.
- KANO, M. *see* TAGUCHI, H.
- KAOTA, S. *see* TAGUCHI, H.
- KASINRERK, W. *see* GADD, S.J.
- KAWAMURA, I. *see* ASENSI, V.
- KELSEY, S.M., LOWDELL, M.W. & NEWLAND, A.C. IgG subclass levels and immune restriction after T cell-depleted allogeneic bone marrow transplantation, 409
- KENNEDY, M.W., TOMLINSON, L.A., FRASER, E.M. & CHRISTIE, J.F. The specificity of the antibody response to internal antigens of *Ascaris*: heterogeneity in infected humans, and MHC (H-2) control of the repertoire in mice, 219
- KEUR, C.V.D. *see* HEURKENS, A.H.M.
- KISSLING, R. *see* KUMARARATNE, D.S.
- KINOSHITA, T. *see* ISHII, Y.
- KINUGAWA, K., HYODOH, F., ANDOH, A., UEKI, A., TANAKA, H. & MOCHIZUKI, Y. Elevated binding of activity of CD8⁺ cells with phytohaemagglutinin by asbestosis fibre *in vitro*, 89
- KISHIMOTO, T. *see* IKEMOTO, S.
- KNAPP, W. *see* GADD, S.J.
- KOBAYASHI, K., ATOH, M., KONOEDA, Y., YAGITA, A., INOKA, H. & SEKIGUCHI, S. HLA-DR, DQ and T cell antigen receptor constant beta genes in Japanese patients with ulcerative colitis, 400
- KOBAYASHI, Y. *see* YASUKAWA, M.
- KOHNO, Y. *see* NAITO, N.
- KOJIMA, H. *see* ISHII, Y.
- KONOEDA, Y. *see* KOBAYASHI, K.
- KOTANI, T., UMEKI, K., HIRAI, K. & OHTAKI, S. Experimental murine thyroiditis induced by porcine thyroid peroxidase and its transfer by the antigen-specific T cell line, 11
- KOWANKO, I.C. *see* KUMARATILAKE, L.M.
- KRAHENBUL, J.L. *see* SIBLEY, L.D.
- KRISHNAN, V.L., MEAGER, A., MITCHELL, D.M. & PINCHING, A.J. Alveolar macrophages in AIDS patients: increased spontaneous tumour necrosis factor-alpha production in *Pneumocystis carinii* pneumonia, 156
- KULESZ, A.J. *see* DANIS, V.A.
- KUMARARATNE, D.S., PITHIE, A.S., DRYSDALE, P., GASTON, G.S.H., KISSLING, R., ILES, P.B., ELLIS, C.J., INNES, J. & WISE, R. Specific lysis of mycobacterial antigen-bearing macrophages by class II MHC-restricted polyclonal T cell lines in healthy donors or patients with tuberculosis, 314
- KUMARATILAKE, L.M., FERRANTE, A., BATES, E.J. & KOWANKO, I.C. Augmentation of the human monocyte/macrophage chemiluminescence response during short-term exposure to interferon-gamma and tumour necrosis factor-alpha, 257
- KUSAKA, Y., CULLEN, R.T. & DONALDSON, K. Immunomodulation in mineral dust-exposed lungs: stimulatory effect and interleukin-1 release by neutrophils from quartz-elicited alveolitis, 293
- LAMBERT, C. *see* FOLEY, N.
- LARSSON, E. *see* FELLSTROM, B.
- LEEMHUIS, T. *see* SROUR, E.R.
- LEEZENBERG, J.A. *see* TAS, M.
- LINDE, A. *see* MATHIESEN, T.
- LINDER, E. *see* EVENGARD, B.
- LITWIN, S.D., ZEHR, B.D. & INSEL, R.A. Selective concentration of IgD class-specific antibodies in human milk, 263

- LOIZU, A., MACKWORTH-YOUNG, C.G. & CONIFER, C. Heterogeneity of binding reactivity to different phospholipids of antibodies from patients with systemic lupus erythematosus (SLE) and with syphilis, 171
- LOWDELL, M.W. *see* KELSEY, S.M.
- LOWRIE, D.B. Editorial Review: Is macrophage death on the field of battle essential to victory, or a tactical weakness in immunity against tuberculosis? 301
- MACKAY, I.R. *see* UIBO, R.
- MACKWORTH-YOUNG, C.G. *see* LOIZU, A.
- MACPHAIL, S. *see* RICHTER, M.
- MAEKAWA, M. *see* IKEMOTO, S.
- MAGEED, R.A. *see* BROWN, C.M.S.
- MAINI, R.N. *see* BARKLEY, D.E.H.
- MAINI, R.N. *see* BROWN, C.M.S.
- MAJIDIC, O. *see* GADD, S.J.
- MARSH, K. *see* WHITTLE, H.C.
- MARTEAU, P., COLOMBEL, J.F., NEMETH, J., VAERMAN, J.P., DIVE, C. & RAMBAUD, J.C. Immunological study of histologically non-involved jejunum during Crohn's disease: evidence for reduced *in vivo* secretion of secretory IgA, 196
- MATHIESEN, T., HAMMARSTROM, L., FRIDELL, E., LINDE, A., WIRSEN, G., SMITH, C.I.E., NORRBY, E. & WAHREN, B. Aberrant IgG subclass distribution to measles in healthy seropositive individuals, in patients with SSPE and in immunoglobulin-deficient patients, 202
- MATHIESON, P. *see* DAVIES, K.A.
- MAURER, D. *see* GADD, S.J.
- MCKEILAGE, J. *see* UIBO, R.
- MCKNICOL, M. *see* FOLEY, N.
- MEAGER, A. *see* KRISHNAN, V.L.
- MICHEL, F. *see* ROUGER, P.
- MILFORD WARD, A. *see* WILD, G.
- MITCHELL, D.M. *see* KRISHNAN, V.L.
- MITSUI, K. *see* ISHII, Y.
- MOCHIZUKI, Y. *see* KINUGAWA, K.
- MOLINARO, N. *see* VOLTA, U.
- MOLLNES, T.E. *see* TEDESCO, F.
- MOREL, E. *see* TZARTOS, S.J.
- MORRIS, D.L. *see* ROGAN, M.T.
- MORTON, H. *see* QUINN, K.A.
- MOURAD, W. *see* HEBERT, J.
- MULLER, C. *see* ZIELINSKI, C.C.
- MURPHY, A.M. *see* BLAZER, B.A.
- MUSHER, D.M. *see* VERSALOVIC, J.
- NAITO, N., SAITO, K., HOSoya, T., TARUTANI, O., SAKATA, S., NISHIKAWA, T., NIMI, H., NAKAJIMA, H. & KOHNO, Y. Anti-thyroglobulin autoantibodies in sera from patients with chronic thyroiditis and from healthy subjects: differences in cross-reactivity with thyroid peroxidase, 4
- NAKAGOMI, O. *see* YASUKAWA, M.
- NAKAJIMA, H. *see* NAITO, N.
- NAPOLITANO, T. *see* HAUTTECOEUR, B.
- NASH, Z.-D. *see* VERSALOVIC, J.
- NAZZARO, A. *see* TEDESCO, F.
- NELSON, D.S. *see* DANIS, V.A.
- NEMETH, J. *see* MARTEAU, P.
- NEWLAND, A.C. *see* KELSEY, S.M.
- NIEDERLEHNER, A. *see* DEEM, R.L.
- NIIMI, H. *see* NAITO, N.
- NILSSON, L.-A. *see* CARLSTEN, H.
- NISBET-BROWN, E. *see* NOGUCHI, M.
- NISHIKAWA, T. *see* NAITO, N.
- NOBLE, B., REN, K., TAVERNE, J., DIPIRRO, J., VAN LIEW, J., DIJKSTRA, C., JANOSY, G. & POULTER, L.W. Mononuclear cells in glomeruli and cytokines in urine reflect the severity of experimental proliferative immune complex glomerulonephritis, 281
- NOGUCHI, M., HOZUMI, N. & NISBET-BROWN, E. CD4⁺ cytolytic T cell clones recognize polymorphism of HLA-DR 3 chains, 448
- NOMOTO, K. *see* ASENSI, V.
- NORRBY, E. *see* MATHIESEN, T.
- OHTAKI, S. *see* KOTANI, T.
- OKADA, H. *see* OKADA, N.
- OKADA, N., HARADA, R. & OKADA, H. Erythrocytes of patients with paroxysmal nocturnal haemoglobinuria acquire resistance to complement attack by purified 20-kD homologous restriction factor, 109
- OLIVER, A.M. Macrophage heterogeneity in human fetal tissue, 454
- OYAZU, N. *see* CHIRMULE, N.
- PAHWA, S. *see* CHIRMULE, N.
- PAOLINI, R. *see* GRAZIA CIFONE, M.
- PASSWELL, J.H. *see* JAFFE, C.L.
- PECORARI, D. *see* TEDESCO, F.
- PENNER, E. *see* VERHEIJEN, R.
- PEREGO, A.M. *see* HAUTTECOEUR, B.
- PERKINS, A.C. *see* ROGAN, M.T.
- PESAU, B. *see* ZIELINSKI, C.C.
- PIER, G.B. *see* JONES, M.M.
- PINCHING, A.J. *see* KRISHNAN, V.L.
- PINEAU, N., AUCOUTURIER, P., BRUGIER, J.C. & PREUD'HOMME, J.L. Jacalin: a lectin mitogenic for human CD4 T lymphocytes, 420
- PITHIE, A.S. *see* KUMARARATNE, D.S.
- PLATER-ZYBERK, C. *see* BROWN, C.M.S.
- POSTMA, S. *see* VAN DER GIESSEN, M.
- POULTER, L.W. *see* NOBLE, B.
- PREUD'HOMME, J.L. *see* JAUBERTAEU, M.O.
- PREUD'HOMME, J.L. *see* PINEAU, N.
- PRITCHARD, D.I. *see* ROGAN, M.T.
- PROCOPIO, A. *see* HAUTTECOEUR, B.
- QUINN, K.A., ATHANASAS-PLATIS, S., WONG, T.-Y., ROLFE, B.E., CAVANAGH, A.C. & MORTON, H. Monoclonal antibodies to early pregnancy factor perturb tumour cell growth, 100
- RADILLO, O. *see* TEDESCO, F.
- RAMBAUD, J.C. *see* MARTEAU, P.
- REDMOND, R. *see* SROUR, E.R.
- REES, A.J. *see* DAVIES, K.A.
- REIBNEGGER, G. *see* FUCHS, D.
- REN, K. *see* NOBLE, B.
- REYNES, M. *see* ROUGER, P.
- RICHTER, M. *see* TAYLOR, C.A.
- RICHTER, M., TAYLOR, S., MACPHAIL, S. & JODOUIN, C.A. Cells and mediators which participate in immunoglobulin synthesis by human mononuclear cells. II. The mechanism of null cell participation in immunoglobulin synthesis and secretion by B cells, 122
- RIGUAD, M. *see* JAUBERTAEU, M.O.
- RITCHIE, A. *see* VERHEIJEN, R.
- ROCH, F. & BACH, M.-A. Strain differences in mouse cellular responses to *Mycobacterium lepraemurium* and BCG subcutaneous infections. I. Analysis of cell surface phenotype in local granulomas, 332
- ROGAN, M.T., MORRIS, D.L., PRITCHARD, D.I. & PERKINS, A.C. *Echinococcus granulosus*: the potential use of specific radiolabelled antibodies in diagnosis by immunoscintigraphy, 225
- ROLFE, B.E. *see* QUINN, K.A.
- ROOK, G.A.W. *see* FOLEY, N.
- ROSSEN, R.D. *see* JONES, M.M.
- ROUGER, P., GUGENHEIM, J., GANE, P., CAPRON-LANDEREAU, M., MICHEL, F., REYNES, M. & BISMUTH, J. Distribution of MHC antigens after liver transplantation: relationship with biochemical and histological parameters, 404
- ROWAN-KELLY, B. *see* FERRANTE, A.
- ROWELL, N.R. *see* WILD, G.
- ROWLY, M. *see* UIBO, R.
- SAITO, K. *see* NAITO, N.
- SAKATA, S. *see* NAITO, N.
- SAKUMOTO, M. *see* ASENSI, V.
- SANTONI, A. *see* HAUTTECOEUR, B.
- SARMENTO, A.M. *see* APPELBERG, R.
- SCHELLEKENS, P.T.A. *see* BLOEMEN, E.
- SCHIFFMAN, G. *see* SMITH, T.F.
- SCHMITT, C. *see* HAUTTECOEUR, B.
- SEILHEIMER, D.K. *see* JONES, M.M.
- SEKIGUCHI, S. *see* KOBAYASHI, K.
- SEOW, W.K. *see* FERRANTE, A.

- SHANAHAN, F. *see* DEEM, R.L.
 SHEARER, G.M. *see* FUCHS, D.
 SHENTON, F. *see* WHITTLE, H.C.
 SHIBATA, T. *see* TAGUCHI, H.
 SHOR, R. *see* JAFFE, C.L.
 SIBLEY, L.D., ADAMS, L.B. & KRAHENBUL, J.L. Inhibition of interferon-gamma-mediated activation in mouse macrophages treated with lipoarabinomannan, 141
 SLADE, H. *see* CHIRMULE, N.
 SMEENK, R. *see* BRINKMAN, K.
 SMITH, C.I.E. *see* EVENGARD, B.
 SMITH, C.I.E. *see* MATHIESEN, T.
 SMITH, T.F., BAIN, R.P. & SCHIFFMAN, G. Relationship between serum IgG2 concentrations and antibody responses to pneumococcal polysaccharides in children with chronic chest symptoms, 339
 SPELLERBERG, M.B. *see* STEVENSON, F.K.
 SPISANI, S. *see* GAVIOLI, R.
 SPRY, C.J. *see* TAI, P.C.
 SROUR, E.R., LEEMHUIS, T., JENSKI, L., REDMOND, R., FILLAK, D. & JANSEN, J. Characterization of normal human CD3⁺CD5⁻ and $\gamma\delta$ T cell receptor positive T lymphocytes, 114
 STEVENSON, F.K., DOUGLASS, W.A., SPELLERBERG, M.B., WALTERS, M.T. & CAWLEY, M.I.D. Soluble histocompatibility antigens in synovial fluid of patients with rheumatoid arthritis, 32
 STOCKINGER, H. *see* GADD, S.J.
 STORER, R.J. *see* FERRANTE, A.
 SYMONS, J.A., WOODS, N.C., DI GIOVINE, F.S. & DUFF, G.W. Soluble CD8 in patients with rheumatic disease, 354
 SZER, J. *see* TRATKIEWICZ, J.A.
 TAGUCHI, H., KANO, H., TAKUBO, N., KAOTA, S., KANAZAWA, K., HITSUMOTO, Y., SHIBATA, T. & UTSUMI, S. IgG isotype and isotype specificity of murine monoclonal IgG rheumatoid factors, 136
 TAI, P.C. & SPRY, C.J. The effects of recombinant granulocyte-macrophage colony-stimulating factor (GM-CSF) and interleukin-3 on the secretory capacity of human blood eosinophils, 426
 TAKUBO, N. *see* TAGUCHI, H.
 TANAKA, H. *see* KINUGAWA, K.
 TARGAN, S.R. *see* DEEM, R.L.
 TARKOWSKI, A. *see* CARLSTEN, H.
 TARUTANI, O. *see* NAITO, N.
 TAS, M., LEEZENBERG, J.A. & DREXHAGE, H.A. Beneficial effects of the thymic hormone preparation of thymostimulin in patients with defects in cell-mediated immunity and chronic purulent rhinosinusitis: a double-blind cross-over trial on improvements in monocytes polarization and clinical effects, 304
 TAVERNE, J. *see* NOBLE, B.
 TAYLOR, C.A., JODOUIN, C.A. & RICHTER, M. Cells and mediators which participate in immunoglobulin synthesis by human mononuclear cells. III. Null cells secrete a factor(s) (human immunoglobulin synthesis/secretion-facilitating factor) that can replace the null cell participation in the synthesis of immunoglobulin by cultured B cells, 130
 TAYLOR, S. *see* RICHTER, M.
 TEDESCO, F., RADILLO, O., CANDUSSI, G., NAZZARO, A., MOLLNES, T.E. & PECORARI, D. Immunohistochemical detection of terminal complement complex and S protein in normal and pre-eclamptic placentae, 236
 TERMAAT, R.M. *see* BRINKMAN, K.
 THE, T.H. *see* VAN DER GIESSEN, M.
 THONG, Y.H. *see* FERRANTE, A.
 TOMLINSON, L.A. *see* KENNEDY, M.W.
 TONETTI, G. *see* HAUTTECOEUR, B.
 TOURANI, J.M. *see* VENET, A.
 TRANIELLO, S. *see* GAVIOLI, R.
 TRATKIEWICZ, J.A. & SZER, J. Loss of natural killer activity as an indicator of relapse in acute leukaemia, 241
 TRATKIEWICZ, J.A., SZER, J. & BOYD, B.L. Lymphokine-activated killer cytotoxicity against leukaemic blast cells, 94
 TRAU, H. *see* JAFFE, C.L.
 TUFVESON, G. *see* FELLSTROM, B.
 TZARTOS, S.J., EFTHIMIDIS, A., MOREL, E., EYMARD, B. & BACH, J.-F. Neonatal myasthenia gravis: antigenic specificities of antibodies in sera from mothers and their infants, 376
 UCHIYAMA, Y. *see* ISHII, Y.
 UEKI, A. *see* KINUGAWA, K.
 UIBO, R., MACKAY, I.R., ROWLY, M., HUMPHRIES, P., ARMSTRONG, J.M.C. & MCNEILAGE, J. Inhibition of enzyme function by human autoantibodies to an autoantigen pyruvate dehydrogenase E2: different epitope for spontaneous human and induced rabbit auto-antibodies, 19
 UMEKI, K. *see* KOTANI, T.
 UTSUMI, S. *see* TAGUCHI, H.
 VAERMAN, J.P. *see* MARTEAU, P.
 VALLAT, J.M. *see* JAUBERTAU, M.O.
 VAN DAM, A. *see* BRINKMAN, K.
 VAN DEN BERG, A.P. *see* VAN DER GIESSEN, M.
 VAN DEN BIJ, W. *see* VAN DER GIESSEN, M.
 VAN DEN BRINK, H. *see* BRINKMAN, K.
 VAN DEN HOOGEN, F. *see* VERHEIJEN, R.
 VAN DER GIESSEN, M., VAN DEN BERG, A.P., VAN DEN BIJ, W., POSTMA, S., VAN SON, W.J. & THE, T.H. Quantitative measurement of cytomegalovirus-specific IgG and IgM antibodies in relation to cytomegalovirus antigenaemia and disease activity in kidney recipients, 56
 VAN LIEW, J. *see* NOBLE, B.
 VAN SON, W.J. *see* VAN DER GIESSEN, M.
 VAN VENROOIJ, W.J. *see* VERHEIJEN, R.
 VENET, A., TOURANI, J.M., BELDJORD, K., EME, D., EVEN, P. & ANDRIEU, J.M. Actuarial rate of clinical and biological progression in a cohort of 250 HIV-1-seropositive subjects, 151
 VERHEIJEN, R., VAN DEN HOOGEN, F., BEIJER, R., RITCHIE, A., PENNER, E., HABETS, W.J. & VAN VENROOIJ, W.J. A recombinant topoisomerase I used for antibody detection in sera from patients with systemic sclerosis, 38
 VERSALOVIC, J., NASH, Z.-D., CARINHAS, R., MUSHER, D.M. & BAUGHN, R.E. Immunoglobulin class and subclass restriction of autoimmune responses in secondary syphilis, 381
 VOLTA, U., MOLINARO, N., FRATANGELO, D. & BIANCHI, F.B. IgA subclass antibodies to gliadin in serum and intestinal juice of patients with coeliac disease, 192
 WACHTER, H. *see* FUCHS, D.
 WADA, S. *see* IKEMOTO, S.
 WAHREN, B. *see* MATHIESEN, T.
 WALPORT, M.J. *see* DAVIES, K.A.
 WALTERS, M.T. *see* STEVENSON, F.K.
 WATKINS, J. *see* WILD, G.
 WEETMAN, A.P. Editorial Review: Thyroid peroxidase as an antigen in autoimmune thyroiditis, 1
 WEINREICH, S. *see* BLOEMEN, E.
 WERNER, E.R. *see* FUCHS, D.
 WHITTLE, H.C., BROWN, J., MARSH, K., BLACKMAN, N., JOBE, O. & SHENTON, F. The effects of *Plasmodium falciparum* malaria on immune control of B lymphocytes in Gambian children, 213
 WILD, G., WATKINS, J., MILFORD WARD, A., HUGHES, P., HUME, A. & ROWELL, N.R. C4a anaphylatoxin levels as an indicator of disease activity in systemic lupus erythematosus, 167
 WINERALS, C.G. *see* DAVIES, K.A.
 WIRSEN, G. *see* MATHIESEN, T.
 WISE, R. *see* KUMARARATNE, D.S.
 WONG, T.-Y. *see* QUINN, K.A.
 WOODS, N.C. *see* SYMONS, J.A.
 YAGITA, A. *see* KOBAYASHI, K.
 YASUKAWA, M., NAKAGOMI, O. & KOBAYASHI, Y. Ritavirus induces proliferative response and augments non-specific cytotoxic activity of lymphocytes in humans, 49
 ZAJAC, R.A. *see* FUCHS, D.
 ZEHR, B.D. *see* LITWIN, S.D.
 ZIELINSKI, C.C., PESAU, B., KALINOWSKI, W. & MULLER, C. Modulation of leucocyte locomotion by interleukin-1, 444

Subject Index

- ABA-I, 219
 ADCC, 360
 AIDS, 151, 156
 ARC (AIDS-related complex), 151
 Acetylcholine receptor, 376
 Activation, 426
 Acute leukaemia, 94, 241
 Aggregates of C3b, 177
 Allograft, 288
 Alveolar macrophage, 156
 Anaphylatoxins, 167
 Anti-cardiolipin antibodies, 171
 Anti-idiotypic antibodies, 413
 Anti-proliferative, 100
 Antibody response, 56
 Antigen presentation, 161
 Antigenaemia test, 56
 Anti-thyroglobulin antibodies, 4
 Asbestos, 89
Ascaris lumbricoides, 219
Ascaris suum, 219
 Autoantibodies, 19, 186
 Autoimmune responses, 381
 Autoimmunity, 467
 Avidity, 274

 B lymphocytes, 213
 B220 antigen, 268
 BCG, 332
Bcg gene, 324
 Bone marrow transplantation, 409

 CD3⁺CD5⁺, 114
 CD4 cells, 151
 Carcinomatous pleural effusion, 350
 Cardiac, 288
 Cell lines, 62
 Cellular immunity, 44, 49, 74
 Chemiluminescence, 257
 Cholesterol, 288
 Chronic rejection, 288, 404
 Chronic thyroiditis, 4
 Class II MHC, 314
 Coeliac disease, 192
 Cold target inhibition, 448
 Complement, 83, 109, 167, 236
 Constant beta chain, 400
 Crohn's disease, 196, 387
 Cross-reactivity, 274
 Cystic fibrosis, 344
 Cytolysis, 314
 Cytomegalovirus, 56
 Cytotoxic T lymphocytes, 387
 Cytotoxicity, 49, 350, 387

 DNA antibodies, 167
 Dendritic cells, 25
 Diagnosis, 225

 EBV-transformed B cell line, 448
 Early pregnancy factor, 100
 Early schistosomiasis, 69
 Elastase, 344
 Enzyme immunoassay, 69
 Eosinophils, 426
 Epitope regions, 38

 Epitope, 19
 Epstein-Barr virus, 62, 213
 Experimentally induced uraemic rats, 474

 Fetus, 454
 Fusion proteins, 38

 GM-CSF, 426
 $\gamma\delta$ T cell receptor, 114
 Gangliosides, 186
 Gliadin, 192
 Glomerulonephritis, 281
 Gold therapy, 25
 gp120, 161
 Graft-versus-host disease, 274
 Growth factor, 62

 HIV infection, 44
 HIV, 151
 HLA, 400
 Haemolysis, 109
 Haemorrhage, 478
 Histocompatibility antigens, 32
 Homologous restriction factor, 109
 Human CD4 lymphocytes, 420
 Human cells, 122
 Human hybridomas, 366
 Human neutrophils, 247
 Human, 130
 Hydatidosis, 225

 IgA subclass antibodies, 192
 IgD and milk, 263
 IgE antibodies, 413
 IgG rheumatoid factor, 136
 IgG subclasses, 136, 202, 381, 409
 IgG2, 339
 IgM, 181
 Immune complex disease, 281
 Immune complexes, 83, 167
 Immune response, 324
 Immune suppression, 478
 Immunoblotting, 69
 Immunodeficiency, 202
 Immunoglobulin isotypes, 366
 Immunoglobulin secretion, 122
 Immunoglobulin synthesis, 122, 130
 Immunoglobulins, 196, 213, 409
 Immunohistology, 236
 Immunomodulation, 293
 Immunosciography, 225
 Immunosuppression, 304
 Immunotherapy, 413
In vitro survival, 426
In vitro, 122
 Indirect immunofluorescence, 25
 Inhibition, 161
 Inhibitor, 395
 Interferon-gamma, 141, 257
 Interferons, 435
 Interleukin-1, 435, 444
 Interleukin-1 α , 25
 Interleukin-2 production *in vitro*, 44
 Interleukin-2, 435
 Interleukin-3, 426
 Interleukins, 344

- Intestinal mucosa, 196
 Intestinal profusion, 196
 Isotype, 274

 Jacalin, 420

 Labelled antibodies, 225
 Large granular lymphocytes, 360
 Lectin, 420
Leishmania major, 77
 Leprosy, 206, 332
 Leucocyte locomotion, 444
 Leukaemia, acute, 94
 Lipoarabinomannan, 141
 Lipophosphoglycan, 77
 Lipopolysaccharide, 136
 Liver transplantation, 404
Lol p I, 413
 lpr gene, 467
 Lung, 293
 Lupus anti-coagulant, 171
 Lupus nephritis, 467
 Lupus, 467
 Lymphocyte proliferation, 77
 Lymphocyte-activated killer cells, 94
 Lymphocytes, 89
 Lymphocytopenia, 460

 MHC H-2 restriction, 219
 MHC, 404
 MRL mice, 467
 Macrophage activation *in vivo*, 44
 Macrophage activation, 324
 Macrophages, 141, 257, 281, 293, 314, 454
 Malaria, 213
 Measles, 202
 Mitochondrial antigen, 19
 Monoclonal IgM, 186
 Monoclonal anti-DNA, 274
 Monoclonal antibodies, 100, 376
 Monocyte chemotaxis, 304
 Monocytes, 177, 232, 257, 344, 435
 Motor neuron syndrome, 186
 Murine thyroiditis, 11
 Mycobacteria, 324
 Mycobacterial antigens, 206
Mycobacterium leprae, 141
Mycobacterium lepraemurium, 332
Mycobacterium tuberculosis, 141
 Myelin-associated glycoprotein, 181

 NK activity, 360
 Natural antibodies, 4
 Natural killer, 241
 Neonatal myasthenia gravis, 376
 Neopterin, 44
 Neuropathy, 181
 Neutrophils, 293
 Neutrophils, human, 247
 Null cells, 122, 130

 Oestrogen, 467

 p24 antigen, 151
 Parasite surface protease, 77
 Parasitic nematodes, 219
 Paroxysmal nocturnal haemoglobinuria, 109
 Passive transfer, 11
 Physiopathology, 196
 Phytohaemagglutinin, 89
 Placenta, 236
 Plasma cells, 196
Plasmodium falciparum, 213

 Pneumococcal polysaccharides, 339
Pneumocystis carinii pneumonia, 156
 Polyamine oxidases, 373
 Polymorphonuclear leucocytes, 444
 Porcine thyroid peroxidase, 11
 Pre-eclampsia, 236
 Prednisolone, 460
 Primary biliary cirrhosis, 19
 Prognosis, 151
 Progressive systemic sclerosis, 360
 Proliferative response, 49, 420
 Proteinuria, 281
 Pyruvate dehydrogenase, 19

 Quartz, 293

 Rat, 288
 Relapse, 241
 Renal failure, 83
 Restriction fragment length polymorphism, 400
 Rheumatic diseases, 354
 Rheumatoid arthritis, 25, 32, 177, 366, 373
 Rhinosinusitis, 304
 Rotavirus, 49

 Sarcoidosis, 395
 Secondary syphilis, 381
 Secreted replacement factors, 130
 Secretion, 426
 Soluble CD8, 354
 Soluble interleukin-2 receptor, 354
 Streptokinase, 83
 Structure of HLA class II molecules 448
 Subacute sclerosing panencephalitis 202
 Subclasses, 69
 Suppressor T cells, 387, 478
 Synovial fluid, 32
 Synovial tissue, 366
 Systemic lupus erythematosus, 167, 171
 Systemic sclerosis, 38

 T and B cell differentiation, 268
 T and B cell function, 268
 T cell clones, 161
 T cell line, 11
 T cell proliferation assay, 448
 T cell receptor, 400
 T cell receptor, $\gamma\delta$, 114
 T cell responses, 206
 T cells, 314
 T lymphocytes, 332
 TP-1, 304
 Tetrandrine, 232
 Thymosin fraction 5, 474
 Thymus lymphocytes, 474
 Thyroglobulin, 4
 Thyroid peroxidase, 1, 4
 Thyroiditis, 1
 Thyroiditis, chronic, 4
 Thyroiditis, murine, 11
 Topoisomerase I, 38
 Tuberculosis, 314
 Tumour cytotoxicity, 247
 Tumour necrosis factor, 257, 281, 395, 354
 Tumour necrosis factor-alpha, 156, 232, 435
 Tumour necrosis factor/cachectin, 350
 Tumour product, 100

 Ulcerative colitis, 400

 VDRL, 171
 Vaccination, 11
 Vasculitis, 177